



# CONSUMER TESTING LABORATORIES, Inc.

HARDLINES TESTING LABORATORY • 611 DREAM VALLEY ROAD • ROGERS, AR 72756  
PHONE: (479) 636-8782 • FAX: (479) 636-8961 • [hcustomerservice@consumertesting.com](mailto:hcustomerservice@consumertesting.com)

## Evaluation of Test Results

Lab Report No: ARHL0145753

Date: May 09, 2011

Item Description: 12 Ounce Crazy Straw Squeeze Bottle - Yellow

CLIENT: Walmart USA

BUYER: Rhett Daniel

DEPARTMENT: 14

BRAND:

ORDER TYPE: Domestic

SOURCING OFFICE: Not Applicable

STYLE NUMBER: BP236-50

TEST TYPE: Production-Full Testing

REASON FOR TESTING: Overall Quality Evaluation

COUNTRY OF ORIGIN: Mexico

SUPPLIER NAME: Funtime International Inc

HOST VENDOR NUMBER: 546341

SUPPLIER ID: 521375898

FACTORY NAME: Mexstar Ensembles

FACTORY NUMBER: 28093144

\*\*\* Please see the following pages for additional item information \*\*\*

Rating: **Pass**

### ADDITIONAL INFORMATION

1. The packaging and/or packaging components comply with the Toxics in Packaging legislation limits of 100 ppm for the sum of the concentration of lead, mercury, cadmium, and hexavalent chromium using screening with XRF technology.

However, a Certificate of Compliance as required under the Toxics in Packaging legislation stating that the lead, mercury, cadmium, and hexavalent chromium present were not intentionally added was not submitted. The supplier must submit a Certificate of Compliance at the next production sample submission.

## Specialists in the Evaluation of Consumer Products Since 1952

This report is governed by, and incorporates by reference, the Terms and Conditions of Testing appearing on our website <http://www.consumertesting.com/> and is intended for your exclusive use. Any copying or replication of this report or disclosure of test results to or for any other person or entity, and any use of our name and/or seal is strictly prohibited without our prior written authorization. This report sets forth our findings with respect to the individual sample(s) tested only. CTL's liability shall not exceed the fees paid for the testing reflected on this report.

## ADDITIONAL SAMPLE INFORMATION

**SIZE(S)**

---

Not Provided

**COLOR(S)**

---

Not Provided

**UPC CODE(S)**

---

01520123600

**ITEM NUMBER(S)**

---

Not Provided

**PO NUMBER(S)**

---

Not Provided

CONSUMER TESTING LABORATORIES, INC.



Farrell Stephens

CATEGORY MANAGER, HARDLINES TESTING

CONSUMER TESTING LABORATORIES, INC.



Kevin Madryga

DIRECTOR, HARDLINES TESTING

### Specialists in the Evaluation of Consumer Products Since 1952

---

This report is governed by, and incorporates by reference, the Terms and Conditions of Testing appearing on our website <http://www.consumer-testing.com/> and is intended for your exclusive use. Any copying or replication of this report or disclosure of test results to or for any other person or entity, and any use of our name and/or seal is strictly prohibited without our prior written authorization. This report sets forth our findings with respect to the individual sample(s) tested only. CTL's liability shall not exceed the fees paid for the testing reflected on this report.

---

CLIENT Walmart USA

LABORATORY REPORT No. ARHL0145753

**WATER BOTTLE / CUP (Sports/Sipper/Child's Training)**

TECHNICAL WORKSHEET

SAMPLE 12 OUNCE KRAZY STRAW SQUEEZE BOTTLE

STOCK No. BP236-50

I. IDENTIFICATION and INSPECTION			
	PASS	FAIL	COMMENTS
<b>PACKAGING</b>			
Good package quality and labeling	X		
Country of origin <u>Mexico</u>	X		
Manufacturer's identification <u>Fun-Time Int'l Inc</u>	X		
Includes French and English language packaging and instructions (for products marketed in Canada)	---	---	<i>N/A - Not marketed for Canada</i>
<b>FINISH / WORKMANSHIP</b>			
Free of nicks, burrs, pits, sharp edges and any other defects which may effect serviceability or appearance of the finished product	X		
Coating smooth and continuous, free of pits, blisters, runs and nodules	---	---	<i>N/A - No coatings</i>
<b>DIMENSIONS</b>			
Overall			
Height			<u>6.625 in</u>
Diameter			<u>2.8 in</u>
Reservoir thickness			<u>0.044 in</u>
Capacity (filled to brim) Does not exceed -5% tolerance			
Labeled			<u>--- fl oz</u>
Actual			<u>14.54 fl oz</u>
	---	---	<i>N/A - Not labeled</i>
Strap/Handle length			<u>--- in</u>
Weight			<u>1.8 oz</u>
<b>MATERIAL</b>			
Bottle body			<u>Plastic</u>
Lid			<u>Plastic</u>
Valve			<u>Plastic</u>
Insulation			<u>---</u>
Type of plastic (i.e. PP, LDPE, PETE, etc.)			<u>---</u>
Plastic recycling number			<u>7</u>

<b>CONSTRUCTION</b> Lid to bottle connection type (threaded, snap, etc.) <u>Threaded</u> Valve type (pull-up, flip-top, etc.) <u>Pull-up</u>	PASS	FAIL	COMMENTS
	<b>II. PERFORMANCE TESTING</b>		
<b>PRACTICAL USE TEST</b> Demonstrates good overall consumer serviceability during practical use test. Lid is easily removed and replaced, valve (if provided) is easily cycled, and all components fit securely to prevent excessive leakage  Conforms to labeled claim in regard to spill or leak resistance during practical use and during 3 drops from 18 inches onto concrete. Item is filled with water to one-half of capacity  <b>DURABILITY</b> Pull-up and/or anti-spill valve components (if provided) withstand a force of 15 lb without separation <u>&gt;15 lb</u>  Withstands an impact of three (3) drops from the height of three (3) feet onto vinyl composite tile surface when filled with water to one-half of capacity with no evidence of breakage or other damage resulting in loss of serviceability  No lid separation during drop test for sports bottle	PASS	FAIL	COMMENTS
	x		
	---	---	N/A - No labeled claims
	x		
	x		
x			

	PASS	FAIL	COMMENTS
<b>CLEANABILITY</b> Demonstrates good cleanability by hand using soap and water	X		
5 cycles in automatic dishwasher (including heated drying) without deterioration or distortion	---	---	N/A - Not dishwasher safe
<b>HANDLE SECUREMENT</b> Demonstrates at least 25 lb of handle securement strength (fabric or molded plastic)	---	---	N/A - No handle
<b>ZIPPER PERFORMANCE</b> Demonstrates easy and smooth operation	---	---	N/A - No zipper
<b>SEAM STRENGTH</b> Demonstrates the following seam strength _____ lb	---	---	N/A - No seams
<b>COLORFASTNESS</b> Fabric (if provided) does not show noticeable color transfer in dry and wet crocking when tested in accordance with methods specified in AATCC-8, and exhibits a colorfastness of minimum: Grade 4.0 dry	---	---	N/A - Plastic
Grade 3.0 wet	---	---	N/A - Plastic

	PASS	FAIL	COMMENTS
<p><b>TOXICOLOGICAL HAZARD</b> Meets the requirements of the supplemental worksheet 14-105 or 14-105CA as applicable</p>	x		
<p><b>RESTRICTED SUBSTANCES / CHILD SAFETY</b> Products marketed or intended for children meets the requirements of RESTRICTED CHEMICAL / SUBSTANCE and HAZARDOUS COMPONENTS TESTING for CHILDREN'S PRODUCT (26-35 for US, or 26-35CA for Canada) NOTE: Drop test for children's product is to be performed with the product half filled to capacity</p>	---	---	N/A - Not marketed for children
<p><u>Elastic / Cord</u> (If marketed for children under 18 months) Strap/Cord, if provided, is less than 12 inches long when measured to the maximum length in a free state and under a load of 5-pounds</p>	---	---	N/A - Not marketed for children
<p>Strap/Cord, when forming a loop, does not allow the passage of the head probe through the loop using 10-pounds of force and rotating the probe in any direction keeping it parallel to the plain of the formed loop opening.</p>	---	---	N/A - Not marketed for children

**III. CONCLUSIONS**

<p><b>OVERALL RATING</b></p>	<p><b>PASS</b></p>
------------------------------	--------------------

*Reference Material: Code of Federal Regulations - Title 16 Commercial Practices*

*This technical worksheet represents testing methods and procedures generally used by Consumer Testing Laboratories, Inc. for testing and evaluating the above specified item. Depending upon the nature of the product, certain tests specified herein may not be applied and / or additional testing procedures may be utilized. This technical worksheet is not intended to be used as a manufacturing or design specification and is subject to revision as further experience and investigation may show necessary.*



**DIRECT FOOD CONTACT PRODUCTS**  
TECHNICAL WORKSHEET SUPPLEMENT

SAMPLE 12 OUNCE KRAZY STRAW SQUEEZE BOTTLE

STOCK No. BP236-50

**I. IDENTIFICATION and INSPECTION**

	PASS	FAIL	COMMENTS
<p><i>Note: This worksheet is a supplement and must accompany the applicable product specific worksheet</i></p>			
<p><b>PACKAGING / LABELING</b> <u>SIPPY CUPS AND EMPTY BABY BOTTLES</u> Packaging for products intended for children 3 years and under exhibits the following: Labeled with the phrase "BPA Free", "Bisphenol A Free" or equivalent</p>	---	---	N/A - Not a sippy cup / baby bottle
<p><u>ALL OTHER FOOD CONTACT PRODUCTS FOR INFANTS AND TODDLERS</u> Packaging for products intended for children 3 years and under exhibits the following: <i>(Required for preproduction and production starting 06/01/2011)</i> Labeled with the phrase "BPA Free", "Bisphenol A Free" or equivalent</p>	---	---	N/A - Not required until 06/01/2011
<p><u>CALIFORNIA</u> The following warning is visible at point of sale and is affixed to either the packaging, labeling, or the sample of the leaded crystalware  "WARNING Consumer foods or beverages that have been kept or served in leaded crystal products exposes you to lead, a chemical known to the State of California to cause birth defects or other reproductive harm"</p>	---	---	N/A - Not a leaded crystal product
<p><b>MARKING</b> <u>Plastic Bag Marking (packaging)</u> <i>Applies to plastic bags regardless of food contact</i> Warning Label : (Warning suffocation hazard label is required to be placed on bags less than 1 mil thickness and 5 inch diameter or greater opening, applicable for US only)</p>			

	PASS	FAIL	COMMENTS
<p><u>Bags exhibit the following or an equivalent:</u></p> <p>"WARNING: To avoid danger of suffocation, keep this plastic bag away from babies and children. Do not use this bag in cribs, beds, carriages or playpens. This bag is not a toy."</p>	---	---	N/A - No plastic bag packaging
<p>Bags whose total length and width when added together is 40 inches and greater exhibit the above or equivalent repeated at 20 inch intervals</p>	---	---	N/A - No plastic bag packaging
<p>Font size of the warning meets one of the following requirements:</p>			
<p><i>Note: bag size is total length and width of bag added together</i></p>			
<p>Bag 60 in or greater - font size 24 point (0.24 in) or greater</p>	---	---	N/A - No plastic bag packaging
<p>Bag less than 60 in to 40 in - font size 18 point (0.18 in) or greater</p>	---	---	N/A - No plastic bag packaging
<p>Bag less than 40 in to 25 in - font size 14 point (0.14 in) or greater</p>	---	---	N/A - No plastic bag packaging
<p>Bag less than 25 in - font size 10 point (0.10 in) or greater</p>	---	---	N/A - No plastic bag packaging
<p>Label locations <u>---</u></p>			
<p><u>NSF Marking</u> (as applicable) Products with NSF (National Sanitation Foundation) mark, have verified listing</p>	---	---	N/A - Not NSF marked
<p>Listing information <u>---</u></p>			
<p><u>Formaldehyde Emissions Packaging Label</u> (CARB / ATCM)(Applicable to pre-production and production only) <i>Applies to wood composite materials only</i></p>			
<p>Provides one of the following</p>	---	---	N/A - No wood composite components
<p>The following statement and information is on both the packaging and product in a clearly visible location and readable by the consumer</p>			
<p>This product contains composite wood that complies with phase 1 [or phase 2] of the ATCM</p>			
<p><u>---</u> Y/N</p>			
<p>the fabricator's name <u>---</u> Y/N</p>			
<p><u>---</u></p>			

	PASS	FAIL	COMMENTS
<p>fabrication date in the following format: mm/yyyy or mm/dd/yyyy</p> <p style="text-align: right;">--- Y/N</p> <p style="text-align: center;">---</p> <p><b>OR</b></p> <p>If determined that it is not practical to place labeling on the product in addition to the packaging, a letter of justification is provided which includes an explanation of the logic used to make the determination</p> <p style="text-align: right;">--- Y/N</p>			

**II. PERFORMANCE TESTING**

	PASS	FAIL	COMMENTS																										
<p><b>FDA COMPLIANCE FOR FOOD CONTACT MATERIALS</b></p> <p>Product must meet the following requirements as applicable:</p> <p><u>PLASTIC COMPONENTS and/or COATINGS</u></p> <p>Plastic components and / or coatings meet one of the following:</p> <p>Testing of plastic components and / or coating meets the regulations of US FDA food simulating solvent and extraction (21 CFR 175/177)</p> <p style="text-align: right;">Yes Y/N</p> <table border="0" style="width: 100%;"> <tr> <td style="width: 25%;">Test Standard</td> <td>Material Type</td> </tr> <tr> <td>Part 175.300</td> <td>Resinous and Polymeric Coatings</td> </tr> <tr> <td>Part 177.1010</td> <td>Acrylic &amp; Modified Acrylic Polymer</td> </tr> <tr> <td>Part 177.1210</td> <td>Closures with Sealing Gaskets for Food Containers</td> </tr> <tr> <td>Part 177.1350</td> <td>Ethylene – Vinyl Acetate (EVA)</td> </tr> <tr> <td>Part 177.1460</td> <td>Melamine – Formaldehyde Resins</td> </tr> <tr> <td>Part 177.1500</td> <td>Nylon</td> </tr> <tr> <td>Part 177.1520</td> <td>Olefin Polymers – Polyethylene (PE), Polypropylene (PP) &amp; Copolymers</td> </tr> <tr> <td>Part 177.1580</td> <td>Polycarbonate (PC)</td> </tr> <tr> <td>Part 177.1630(f), (g), (i)</td> <td>Polyethylene Phthalate Polymers</td> </tr> <tr> <td>Part 177.1640</td> <td>Polystyrene (PS)</td> </tr> <tr> <td>Part 177.1810(b)</td> <td>Styrene Block Polymer</td> </tr> <tr> <td>Part 177.1830</td> <td>Styrene – Methyl methacrylate copolymer</td> </tr> </table>	Test Standard	Material Type	Part 175.300	Resinous and Polymeric Coatings	Part 177.1010	Acrylic & Modified Acrylic Polymer	Part 177.1210	Closures with Sealing Gaskets for Food Containers	Part 177.1350	Ethylene – Vinyl Acetate (EVA)	Part 177.1460	Melamine – Formaldehyde Resins	Part 177.1500	Nylon	Part 177.1520	Olefin Polymers – Polyethylene (PE), Polypropylene (PP) & Copolymers	Part 177.1580	Polycarbonate (PC)	Part 177.1630(f), (g), (i)	Polyethylene Phthalate Polymers	Part 177.1640	Polystyrene (PS)	Part 177.1810(b)	Styrene Block Polymer	Part 177.1830	Styrene – Methyl methacrylate copolymer	x		
Test Standard	Material Type																												
Part 175.300	Resinous and Polymeric Coatings																												
Part 177.1010	Acrylic & Modified Acrylic Polymer																												
Part 177.1210	Closures with Sealing Gaskets for Food Containers																												
Part 177.1350	Ethylene – Vinyl Acetate (EVA)																												
Part 177.1460	Melamine – Formaldehyde Resins																												
Part 177.1500	Nylon																												
Part 177.1520	Olefin Polymers – Polyethylene (PE), Polypropylene (PP) & Copolymers																												
Part 177.1580	Polycarbonate (PC)																												
Part 177.1630(f), (g), (i)	Polyethylene Phthalate Polymers																												
Part 177.1640	Polystyrene (PS)																												
Part 177.1810(b)	Styrene Block Polymer																												
Part 177.1830	Styrene – Methyl methacrylate copolymer																												

	PASS	FAIL	COMMENTS
Part 177.2410 Phenolic Resins in molded articles Part 177.2420 Polyester Resins, Crosslinked Part 177.2470 Polyoxymethylene Copolymer Part 177.2480 Polyoxymethylene Homopolymer Part 177.2600 Rubber and/or Silicone Part 181.32 Acrylonitrile Copolymer and Resins (A% <30%)			
<p><b>OR</b></p> <p>A test report is provided stating plastics components and / or coating meets the regulations of US FDA food simulating solvent and extraction (21 CFR 175/177).</p> <p style="text-align: right;">--- Y/N</p> <p>Report Date (dated within 1 year) ---</p>			
<p><b><u>POLYMERIC AND / OR RESINOUS COATED WOOD</u></b></p> <p>Coating must comply with appropriate 21 CFR 175.300. Vender must supply documentation that all additives used in the coating are FDA approved, have prior sanction or GRAS approved. The coated wood must comply to the appropriate condition under 21 CFR 175.300. (In lieu of testing, a passing test report may be submitted If dated within one year)</p> <p>Report Date (dated within 1 year) ---</p>	---	---	<p><i>N/A - No coated wood components in direct contact with food</i></p> <p><i>N/A</i></p>
<p><b><u>PAPER PRODUCT</u></b></p> <p><i>Note: The following FDA Additives section applies to products that are made entirely or partially of paper</i></p> <p>Test report from independent test lab to demonstrate compliance to all applicable parts of the Food and Drug Administration (FDA) regulation under 21 CFR including parts: 175 Indirect food additives: Adhesive and components of coatings, 176 Indirect food additives: Paper and paperboard components, 177 Indirect food additives: Polymers, 178 Indirect food additives: Adjuvant, production aids and sanitizer (not applicable to plastic/foam products) (In lieu of testing, a passing test report may be submitted If dated within one year)</p> <p>Report Date (dated within 1 year) ---</p>	---	---	<p><i>N/A - Not a paper product that comes in contact with food</i></p>

	PASS	FAIL	COMMENTS
<p><b><u>STAINLESS STEEL CLAIMS</u></b></p> <p>Products with stainless steel claim are made of 200, 300 or 400 stainless steel; or an alloy containing 16% Chromium. Exception: In the case of cutlery/blades, the chromium content can be lower than 16% if they are tempered or hardened by an appropriate post-heat treatment process. (In lieu of testing, a passing test report may be submitted If dated within one year)</p> <p>Report Date (dated within 1 year) <u>---</u></p>	---	---	<p><i>N/A - No metal components in direct contact with food</i></p>
<p><b><u>FOOD GRADE ALUMINUM ALLOYS</u></b></p> <p>Sheet and extrusion aluminum alloys made from 1xxx, 3xxx, 4xxx,5xxx and 6xxx series alloys may be safely used for food contact. Casting alloys made from 218.x, 308.0, 319.0, 332.0, 356.0, 360.0, 413.0, B443.0, 514.0, 520.0, or 713.0 may be safely used for food contact. (In lieu of testing, a passing test report may be submitted If dated within one year)</p> <p>Report Date (dated within 1 year) <u>---</u></p>	---	---	<p><i>N/A - No metal components in direct contact with food</i></p>
<p><b><u>NATURAL WOOD USED IN CONTACT WITH FOOD</u></b></p> <p>Documentation is provided stating that hard maple or an equivalently hard, close-grained wood is used for cutting boards, cutting blocks, baker's tables, rolling pins, doughnut dowels, salad bowls and chopsticks.</p> <p>Documentation date <u>---</u></p>	---	---	<p><i>N/A - No uncoated natural wood components in direct contact with food</i></p>
<p><b><u>EXTRACTABLE LEAD - SILVER PLATED PEWTER</u></b></p> <p>Silver plated pewter interior of the product lead content does not exceed 7.0 ppm</p>	---	---	<p><i>N/A - No metal components in direct contact with food</i></p>
<p><b><u>LEAD IN PEWTER ALLOYS</u></b></p> <p>Lead must not exceed 0.05% (500) ppm in food contact surfaces</p>	---	---	<p><i>N/A - No metal components in direct contact with food</i></p>
<p><b><u>LEAD CONTENT OF SOLDER AND FLUX</u></b></p> <p>Solder demonstrates a lead content not exceeding 0.2% (2000 ppm) by weight</p>	---	---	<p><i>N/A - No metal components in direct contact with food</i></p>

	PASS	FAIL	COMMENTS
<p><u>EXTRACTABLE CADMIUM AND LEAD</u></p>			
<p>Glassware with decorations that contact food, ceramicware, pewter, and enameled metalware interior of the product meets the following requirements as applicable</p>	---	---	<p><i>N/A - Product is not glassware with decorations that contact food, ceramicware, pewter, or enameled metalware</i></p>
<p>Large hollowware = bowls &gt; 1.1 liter (1.16 quart)</p>			
<p>Small hollowware = bowls &lt; 1.1 liter (1.16 quart)</p>			
<p>Flat tableware = plates, saucers, etc.</p>			
<p><u>Lead</u></p>			
<p>Flatware - must not exceed 0.226 ppm                  _____                  --- Y/N</p>			
<p>Mugs/Cups/Pitchers - must not exceed 0.1 ppm                  _____                  --- Y/N</p>			
<p>Small Hollowware - must not exceed 0.1 ppm                  _____                  --- Y/N</p>			
<p>Large Hollowware - must not exceed 0.1 ppm                  _____                  --- Y/N</p>			
<p><u>Cadmium</u></p>			
<p>Flatware - must not exceed 0.5 ppm                  _____                  --- Y/N</p>			
<p>Small Hollowware (including cups and mugs)- must not exceed 0.189 ppm                  _____                  --- Y/N</p>			
<p>Large Hollowware (including pitchers) - must not exceed 0.049 ppm                  _____                  --- Y/N</p>			
<p><u>OTHER MATERIALS</u></p>			
<p><i>Note: This requirement applies to materials that contact food that do not meet any of the previous nine requirements</i></p>			
<p>Product intended to be used in contact with food shall conform to the applicable requirements of the Food, Drug, and Cosmetic Act (FD&amp;CA), specifically 21 CFR 170-189. The vendor must have documentation that all raw materials used in the finished article are FDA approved, have prior sanction or are GRAS approved. The finished article must meet the requirements of the appropriate section. (In lieu of testing, a passing test report may be submitted If dated within one year)</p>			
<p>Report Date (dated within 1 year) _____                  ---</p>	---	---	<p><i>N/A - meets a previous requirement</i></p>

	PASS	FAIL	COMMENTS
<p><b><u>METAL SPIGOT</u></b></p> <p>Food contact surfaces of the metal dispensing spigot (if applicable) complies with the leachable lead requirements. The spigot must not demonstrate excessive leachable lead when applying the FDA limits for small hollowware (2.0 ppm)</p>	---	---	N/A - Product does not contain a metal spigot
<p><b><u>CALIFORNIA</u></b></p> <p>California Safe Drinking Water and Toxic Enforcement Act</p>	---	---	N/A - Product does not contain a metal spigot
<p>The following label (or equivalent) is visible at point of sale and is affixed to either the packaging or the product if the California Safe Drinking Water and Toxic Enforcement Act limits are exceeded for small hollowware (0.100 ppm):</p> <p>"WARNING: This product contains a chemical known to the State of California to cause cancer"</p>	---	---	N/A - Product does not contain a metal spigot
<p><b><u>SGCD EXTRACTABLE LEAD &amp; CADMIUM</u></b></p> <p>Exterior decorations applied within 20mm of the rim of cups, mugs, glasses or other vessels shall conform to the applicable requirements as defined by the standards. (In lieu of testing, a passing test report may be submitted if dated within one year)</p> <p>Report Date (dated within 1 year)      ---</p>	---	---	N/A - Product has no external decorations within 20mm of the rim
<p><b><u>EXTERNAL DECORATION</u></b></p> <p>(Glass, ceramic and porcelain drinking glasses, cups and mugs only)(Not applicable to plastic products)</p> <p>Products with external decoration that is painted, fired, or the like, does not exceed lead limits as established by California Proposition 65, if sold in the State of California</p>	---	---	N/A
			N/A - Is not a drinking glass, cup or mug with external decorations

	PASS	FAIL	COMMENTS
<p><b>LIQUIDS, PUTTIES, PASTES, POWDERS, GELS</b>  <u>USP 61 / 62 Microbiological Examination</u></p> <p>Test report is provided indicating the product meets the requirements of &lt;1,000 CFU/ml for total viable count (total plate count + yeast &amp; mold count) and is not contaminated with Salmonella, E. Coli, Pseudomonas Aeruginosa, or Staphylococcus Aureus as intended to minimize risk associated with lack of cleanliness, shelf life and contamination. Product shall not be contaminated with Clostridia species, Candida albicans and Bile tolerant Gram negative bacteria.</p> <p>Report Date (dated within 1 year) _____</p>	---	---	N/A - No liquids, putties, pastes, powders or gels
<p><u>USP 51 Preservative Effectiveness Test</u></p> <p>Test report is provided which indicates that liquids, putties, pastes, powders, or gels sampled from the finished goods have been tested in accordance to United States Pharmacopeia (USP) 51 Preservative Effectiveness Test</p> <p>Report Date (dated within 2 years) _____</p>	---	---	N/A - No liquids, putties, pastes, powders or gels
<p><b>HAZARDOUS LIQUIDS</b></p> <p>Test report is provided indicating no hazardous chemicals are present in liquid filled products in accordance with 16 CFR 1500.231 (if applicable)</p> <p>Report Date (dated within 1 year) _____</p>	---	---	N/A - Not a liquid filled product
<p><b>BPA CONTENT OF COMPONENTS - INFANT and TODDLER PRODUCTS FOR 3 YEARS AND UNDER</b></p> <p><i>Note: This requirement is for all components of the product, not just food contact components</i></p> <p><i>Note: Polypropylene, Polyethylene, glass, ceramic, metal, wood, are exempt. All other polymeric (plastic) materials must meet this requirement</i></p> <p><i>Note: Lids and gaskets are included in testing regardless if the product is intended for dry food storage</i></p> <p><u>Polymeric components manufactured from non-silicone materials</u></p> <p>Total BPA does not exceed 2ppm by weight</p> <p><b>OR</b></p>	---	---	N/A - Not for infant or toddler 3 yrs or under

	PASS	FAIL	COMMENTS
<p>Test report showing product contains no more than 2ppm BPA. (In lieu of testing, a passing test report may be submitted If dated within 6 months)                      Report Date (dated within 6 months: <u>---</u>)</p>	---	---	N/A - Not for infant or toddler 3 yrs or under
<p><u>Products manufactured from silicone materials</u>                      Letter of guarantee certifying that the product does not contain BPA (dated within 6 months)                      Report Date (dated within 6 months: <u>---</u>)</p>	---	---	N/A - Not for infant or toddler 3 yrs or under
<p><b>BPA CONTENT OF COMPONENTS - ADULT PRODUCTS WITH LIDS ONLY</b> <i>(Required for preproduction and production starting 04/01/2011)(Not required for Cookware / Bakeware, only applicable to food and beverage storage containers with lids)</i>   <i>Note: This requirement is only for the food contact components of the product</i>   <i>Note: Polypropylene, Polyethylene, glass, ceramic, metal, wood, are exempt. All other polymeric (plastic) materials must meet this requirement</i>   <i>Note: Lids and gaskets are included in testing regardless if the product is intended for dry food storage</i></p>			
<p><u>Polymeric components manufactured from non-silicone materials</u></p>			
<p>Total BPA does not exceed 2ppm by weight <b>OR</b></p>	x		
<p>Test report showing product contains no more than 2ppm BPA. (In lieu of testing, a passing test report may be submitted If dated within one year)                      Report Date (dated within 1 year) <u>---</u></p>	---	---	N/A - Performed testing
<p><u>Products manufactured from silicone materials</u>                      Letter of guarantee certifying that the product does not contain BPA (dated within 1 year)                      Report Date (dated within 1 year) <u>---</u></p>	---	---	N/A - No applicable materials
<p><b>LABEL CLAIMS</b>                      Label claims are verified.  <u>BPA free</u>  <u>---</u>  <u>---</u>  <u>---</u></p>	x		

CLIENT Walmart USA

LABORATORY REPORT No. ARHL0145753

	PASS	FAIL	COMMENTS
<p><b>RESTRICTED SUBSTANCES / CHILD SAFETY</b></p> <p>Products marketed or intended for children meets the requirements of RESTRICTED CHEMICAL / SUBSTANCE and HAZARDOUS COMPONENTS TESTING for CHILDREN'S PRODUCT (26-35)</p>	---	---	<p>N/A - Not marketed for children</p>

**III. CONCLUSIONS**

OVERALL RATING	PASS
<p>COMMENTS:</p>	

Reference material: Wal Mart Food and Food Contact Protocol, Wal Mart Food Contact Metalware (Non Cooking) Protocol


*This technical worksheet represents testing methods and procedures generally used by Consumer Testing Laboratories, Inc. for testing and evaluating the above specified item. Depending upon the nature of the product, certain tests specified herein may not be applied and / or additional testing procedures may be utilized. This technical worksheet is not intended to be used as a manufacturing or design specification and is subject to revision as further experience and investigation may show necessary.*




Material Description	polypropylene white lid	<b>177.1520</b>		
Test Requirements	Requirement Limit	Measured Value	Pass/Fail	
Density (g/mL)	0.880 - 0.913	0.905	<b>Pass</b>	
Melting Point (deg. C)*	160 - 180	162	<b>Pass</b>	
Maximum Extractable Fraction - Hexane (%)	6.4	0.04	<b>Pass</b>	
Maximum Extractable Fraction - Xylene (%)	9.8	2.6	<b>Pass</b>	
* The melting point requirement only applies to polypropylene homopolymer				

Material Description	polyethylene white lid valve	<b>177.1520</b>		
Test Requirements	Requirement Limit	Measured Value	Pass/Fail	
Density (g/mL)	0.85 - 1.00	0.905	<b>Pass</b>	
Melting Point (deg. C)*	---	---	---	
Maximum Extractable Fraction - Hexane (%)	5.5	1.6	<b>Pass</b>	
Maximum Extractable Fraction - Xylene (%)	11.3	1.1	<b>Pass</b>	
* The melting point requirement only applies to polypropylene homopolymer				


Material Description	polyethylene yellow bottle	<b>177.1520</b>		
Test Requirements	Requirement Limit	Measured Value	Pass/Fail	
Density (g/mL)	0.85 - 1.00	0.905	<b>Pass</b>	
Melting Point (deg. C)*	---	---	---	
Maximum Extractable Fraction - Hexane (%)	5.5	0.89	<b>Pass</b>	
Maximum Extractable Fraction - Xylene (%)	11.3	5.3	<b>Pass</b>	
* The melting point requirement only applies to polypropylene homopolymer				



Lab Number ARHL0145753  
Description Yellow Krazy Straw Squeeze Bottle  
Material Identification Polyethylene (PE)  
Assigned 21 CFR Part 177.1520



Lab Number ARHL0145753  
Description Yellow Krazy Straw Squeeze Bottle - white lid  
Material Identification Polypropylene (PP)  
Assigned 21 CFR Part 177.1520



Lab Number ARHL0145753  
Description Yellow Crazy Straw Squeeze Bottle - white lid valve  
Material Identification Polyethylene (PE)  
Assigned 21 CFR Part 177.1520

## DECLARATION OF IDENTITY, RESPONSIBILITY AND QUANTITY

### TECHNICAL WORKSHEET SUPPLEMENT

SAMPLE 12 OUNCE KRAZY STRAW SQUEEZE BOTTLE

STOCK No. BP236-50

I. IDENTIFICATION and INSPECTION		
	PASS	FAIL
<p><i>Note: This worksheet is a supplement and must accompany the applicable product specific worksheet</i></p> <p><b>DECLARATION OF IDENTITY</b></p> <p><i>Note: If a product is clearly recognizable, a declaration of identity is not required (i.e. open stock dinnerware)</i></p> <p><i>Note: Brand names/ logos may appear on product as part of the identity.</i></p> <p>The identity of the product shall appear on the package label and shall not be misleading or deceptive</p> <p>The identity shall be one of the following:                      The name specified in, or required by, any federal or state regulation</p> <p style="text-align: right;">--- Y/N</p> <p><b>OR</b></p> <p>the common or usual name</p> <p style="text-align: right;">--- Y/N</p> <p><b>OR</b></p> <p>the generic name or other appropriate description, including a statement of function</p> <p style="text-align: right;">--- Y/N</p> <p><b>DECLARATION OF RESPONSIBILITY</b></p> <p>The name and location (city, state) of the manufacturer, packer, or distributor shall appear on the package if that package is sold, kept, offered, or exposed for sale at a location other than the premises where it was packed</p>	---	---
		<i>N/A - Visible at point of sale</i>
	---	---
		<i>N/A</i>
	x	

	PASS	FAIL	COMMENTS
<p><b>DECLARATION OF QUANTITY</b></p> <p>Declaration of net quantity shall be accurate and shall appear on the package unless the item is measured by count and contains six or fewer pieces that are clearly visible</p> <p><i>Note: Quantity statements should include US customary units and SI metric units when applicable</i></p> <p><i>Note: Where there is a firmly established general usage and trade custom with respect to the terms used in expressing a declaration of quantity such declaration of quantity may be expressed in traditional terms, example 15 in steering wheel cover</i></p>	---	---	<p>N/A - Sold as single item</p>

**III. CONCLUSIONS**

<p><b>OVERALL RATING</b></p>	<p><b>PASS</b></p>
------------------------------	--------------------

*This technical worksheet represents testing methods and procedures generally used by Consumer Testing Laboratories, Inc. for testing and evaluating the above specified item. Depending upon the nature of the product, certain tests specified herein may not be applied and / or additional testing procedures may be utilized. This technical worksheet is not intended to be used as a manufacturing or design specification and is subject to revision as further experience and investigation may show necessary.*

**TOXICS IN PACKAGING**LABORATORY REPORT NO. [ARHL0145753](#)

<b>Packaging Component</b>	<b>Lead (ppm)</b>	<b>Cadmium (ppm)</b>	<b>Hexavalent Chromium (ppm)</b>	<b>Mercury (ppm)</b>	<b>TOTAL (ppm)</b>	<b>Test Method (Wet Chem / XRF)</b>
MIC BLACK AND WHITE UPC	ND	ND	ND	ND	ND	XRF